

set of rabbits received 100 µg of hexavalent vaccine in CFA subcutaneously as an initial injection and then booster injections of the same dose in saline were given at 4 and 3 weeks. Blood was obtained prior to the first injection and at 2-week intervals thereafter.--

Please replace the paragraph beginning at page 4, line 14, with the following rewritten paragraph:



-- Figures 7A and 7B show a nucleic acid sequence (SEQ ID NO:15) and predicted amino acid sequence (SEQ ID NO:16) of a hexavalent M protein vaccine.--

In the Claims:

Please amend claims 12, 15-17, 19, 21, 23, 27, 36-38, 40, 42, 44, 54, and 56 to read as follows:

Mizutein

12. (Twice Amended) A recombinant fusion polypeptice, comprising.

(a) a multivalent immunogenic portion wherein the irantinogenic portion comprises at least two immunogenic polypeptides, the polypeptides comprising at least 10 amino acids and capable of eliciting an immune response against Group A Streptococci; and

(b) a carboxy-terminal polypeptide that protects the immunogenicity of the immunogenic portion, wherein the carboxy-terminal polypeptide is a reiteration of at least one immunogenic polypeptide from the amino-terminal of the immunogenic portion.

Sub3

15. (Twice Amended) The polypeptide according to claim 12 wherein at least one of the immunogenic polypeptides is from a Group A Streptococci serotype selected from the group consisting of 1, 2, 3, 4, 5, 6, 11, 12, 13, 14, 18, 19, 22, 24, 28, 30, 48, 49, 52 and 56.

Sup.

16. (Twice Amended) The polypeptide according to claim 12 wherein the immunogenic portion consists of six immunogenic polypeptides, wherein the polypeptides are an amino-terminal portion of at least one M protein.

17	> 17. (Twice Amended) The polypeptide according to any one of claims 12 15-16 wherein at least one of the immunogenic polypeptides is from a scrotype 11 Group A reptocoeci.
9 4	19. (Twice Amended) The polypeptide according to any one of claims 12 15-16 wherein at least one of the immunogenic polypeptides is from a serotype 13 Group A reptococci
	21. (Twice Amended) The polypeptide according to any one of claims 12 15-16 wherein at least one of the immunogenic polypeptides is from a scrotype 22 Group A reptococci.
()	23. (Twice Amended) The polypeptide according to any one of claims 12 15-16 wherein at least one of the immunogenic polypeptides is from a scrotype 28 Group A reptococei.
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	27. (Twice Amended) A composition for promoting an immune response gainst Group A Streptococci, comprising: (a) a recombinant fusion polypeptide, comprising: (i) a multivalent immunogenic portion wherein the immunogenic portion polypeptides at least two immunogenic polypeptides, the polypeptides comprising at least 10 amino bids and capable of eliciting an immune response against Group A Streptococci; and
in	(ii) a carboxy-terminal polypeptide that protects the immunogenicity of the nmunogenic portion, wherein the carboxy-terminal polypeptide is a reiteration of at least one nmunogenic polypeptide from the amino-terminal of the immunogenic portion; and

36. (Twice Amended) The composition according to any one of claims 27 or 30-31 wherein at least one of the immunogenic polypeptides is from a Group A Streptococci

a pharmaceutically acceptable excipient or diluent.

serotype selected from the group-consisting of 1, 2, 3, 4, 5, 6, 11, 12, 13, 14, 18, 19, 22, 24, 28, 30, 48, 49, 52-and 56.

or 30-31 wherein the immunogenic portion consists of six immunogenic polypeptides, wherein the polypeptides are an amino-terminal portion of at least one M protein.

or 30-31 wherein at least one of the immunogenic polypeptides is from a scrotype 11 Group A Streptococci.

40. (Twice Amended) The composition according to any one of claims 27 or 30-31 wherein at least one of the immunogenic polypeptides is from a serotype 13 Group A Streptococci.

or 30-31 wherein at least one of the immunogenic polypeptides is from a serotype 22 Group A Streptococci.

or 30-31 wherein at least one of the immunogenic polypeptides is from a serotype 28 Group A Streptococci.

54. (Amended) The polypeptide according to any one of claims 12 or 27 wherein only one immunogenic polypeptide is reiterated.

wherein the immunogenic portion consists of ten immunogenic polypeptides, wherein the polypeptides are an amino-terminal portion of a M protein.